





(800) USA-COIL
 98 Lacrue Ave Suite 210,
 Glen Mills, PA 19342
 sales@usacoil.com
 www.usacoil.com

Replacement Engineering Made Easy

DX Evaporator Coil

Name:	OEM Unit Model #
Company:	OEM Coil Model #
Phone:	Project:
Email:	Tag:

Coil Dimensions and Specifications: (Please include detail photos of the coils and header sections - if available)



****Circle Header End Matching Your Coil****

Header Material:
 Copper

Tubes out from distributor: _____

Flange Type:
 Standard
 Stacking
 Inverted Flange

***Casing Material: (check one)**
 Galv Steel 16 ga
 Stainless Steel 16 ga

*Rows	*FPI	*FH	*FL	CH	CL	CD	OLH	A	B1	B2	C	D	E	HD	RB	X	Y		

* Asterisk items are minimum required for price

Notes:

COPPER * TUBE TUBE FIN O.D. Thick Thick <input type="checkbox"/> 3/8" .014 .005 <input type="checkbox"/> 1/2" .016 .006 <input type="checkbox"/> 5/8" .020 .006 Other _____	*Fin Material: Aluminum (std) Copper	Refrigerant Type: (choose one) R-22 R-410A Other: _____	Liquid O.D. _____ Suction O.D. _____ <input type="checkbox"/> H.G.B.P
	Connection Material: Copper	Tonnage & CFM: _____	





(800) USA-COIL
 98 Lacrue Ave Suite 210,
 Glen Mills, PA 19342
 sales@usacoil.com
 www.usacoil.com

Replacement Engineering Made Easy

DX Evaporator Coil - Intertwined

Name:	OEM Unit Model #
Company:	OEM Coil Model #
Phone:	Project:
Email:	Tag:

Coil Dimensions and Specifications: (Please include detail photos of the coils and header sections - if available)



****Circle Header End Matching Your Coil****

Header Material:
Copper

Tubes out from distributor:

Flange Type:
 Standard
 Stacking
 Inverted Flange

***Casing Material: (check one)**
 Galv Steel 16 ga
 Stainless Steel 16 ga

*Rows	*FPI	*FH	*FL	CH	CL	CD	OLH	A	B1	B2	C	D	E	HD	RB	X1	X2	Y	

* Asterisk items are minimum required for price

Notes:

<p>* COPPER</p> <table border="1"> <thead> <tr> <th>TUBE O.D.</th> <th>TUBE Thick</th> <th>FIN Thick</th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/> 3/8"</td> <td>.014</td> <td>.005</td> </tr> <tr> <td><input type="checkbox"/> 1/2"</td> <td>.016</td> <td>.006</td> </tr> <tr> <td><input type="checkbox"/> 5/8"</td> <td>.020</td> <td>.006</td> </tr> <tr> <td colspan="3">Other _____</td> </tr> </tbody> </table>	TUBE O.D.	TUBE Thick	FIN Thick	<input type="checkbox"/> 3/8"	.014	.005	<input type="checkbox"/> 1/2"	.016	.006	<input type="checkbox"/> 5/8"	.020	.006	Other _____			<p>*Fin Material: Aluminum (std) Copper</p>	<p>Refrigerant Type: (choose one) R-22 R-410A Other: _____</p>	<p>Liquid O.D. _____</p> <p>Suction O.D. _____</p> <p><input type="checkbox"/> H.G.B.P</p>
	TUBE O.D.	TUBE Thick	FIN Thick															
	<input type="checkbox"/> 3/8"	.014	.005															
<input type="checkbox"/> 1/2"	.016	.006																
<input type="checkbox"/> 5/8"	.020	.006																
Other _____																		
<p>Connection Material: Copper</p>	<p>Tonnage & CFM: _____</p>																	




(800) USA-COIL
 98 Lacrue Ave Suite 210,
 Glen Mills, PA 19342
 sales@usacoil.com
 www.usacoil.com

Replacement Engineering Made Easy

DX Evaporator Coil - Face Split

Name:	OEM Unit Model #
Company:	OEM Coil Model #
Phone:	Project:
Email:	Tag:

Coil Dimensions and Specifications: (Please include detail photos of the coils and header sections - if available)



Header Material:

Copper

Tubes out from distributor:

Flange Type:

- Standard
- Stacking
- Inverted Flange

***Casing Material:**
(check one)

Galv Steel 16 ga

Stainless Steel 16 ga

****Circle Header End Matching Your Coil****

*Rows	*FPI	*FH	*FL	CH	CL	CD	OLH	A	B1	B2	C	D	E	HD	RB	X1	X2	Y1	Y2

* Asterisk items are minimum required for price

Notes:

COPPER * TUBE TUBE FIN O.D. Thick Thick <input type="checkbox"/> 3/8" .014 .005 <input type="checkbox"/> 1/2" .016 .006 <input type="checkbox"/> 5/8" .020 .006 Other _____	*Fin Material: Aluminum (std) Copper	Refrigerant Type: (choose one) R-22 R-410A Other: _____	Liquid O.D. _____ Suction O.D. _____ <input type="checkbox"/> H.G.B.P
	Connection Material: Copper	Tonnage & CFM: _____	